

Studiengruppe AIDS-Therapie
8004 Zürich felix.defries@gmail.com

c/o Felix de Fries Eglistr. 7

An Betroffene und beteiligte
Institutionen und an Medien

Zürich, den 26. Februar 2019

betr. **Die Infektionen mit dem Corona-Virus in Italien**

Sehr geehrte Damen und Herren

Personen in Italien, die ein positives Ergebnis im Antikörpertest machen, werden nun als Träger des neuen Corona-Virus aus Wuhan-China betrachtet, das dort zu einer grösseren Zahl von Todesfällen durch Lungenversagen geführt hat. Betroffen vom schweren Verlauf der Erkrankung durch dieses Grippe-Virus sind mehrheitlich Patienten, die über 70 Jahre alt, und durch weitere Erkrankungen geschwächt sind.

Wie Ihnen diverse Studien neueren Datums aus Italien zeigen, findet auch dort schon seit Längerem ein Überspringen von Erregern aus Wildtieren auf Nutztiere und auf den Menschen statt, welches durch fortlaufende Antibiotika-Gaben in der Vieh-, Schweine und Geflügelzucht und ihrer Auswirkungen auf Gewässer und Böden, und andere umwelt-schädigende Stoffe mitbestimmt wird. Als Lösung in der gegenwärtigen Krise wird denn jetzt auch in der Fachzeitschrift The Lancet eine enge Zusammenarbeit zwischen der Veterinärmedizin und der Humanmedizin vorgeschlagen. Die gegenwärtige Krise macht deutlich, dass nachhaltige Lösungen nur unter einem ökologischen Blickwinkel gefunden werden können. Da es noch länger dauern dürfte, bis ein wirksamer Impfstoff gegen dieses Grippe-Virus gefunden wird, wird sich die Therapie darauf konzentrieren müssen, den schädigenden Sturm von Entzündungs-Botenstoffen bei Betroffenen durch entzündungshemmende Stoffe (Beta-Interferon und Pflanzenstoffe wie Curcumin aus Gelbwurz) abzufangen, die sich bei der Behandlung von fortgesetzten Entzündungsreaktionen bewährt haben.

Studiengruppe AIDS-Therapie

Felix A. de Fries

PS: Diverse Studien über die Rolle von fortlaufenden Antibiotika-Gaben bei der Bildung der über 60 endemischen Infektionen und Krankheitszuständen, welche bei einem positiven Resultat im HIV-

Antikörpertest, das AIDS-Syndrom definieren, finden Sie unter www.ummafrapp.de

[HTML] Molecular Characterization of HEV Genotype 3 in Italy at Human/Animal Interface

[HTML] [Molecular Characterization of HEV Genotype 3 in Italy at Human/Animal Interface](#)

[PDF] Distribution of Brucella field strains isolated from livestock, wildlife populations, and humans in Italy from 2007 to 2015

[PDF] [Distribution of Brucella field strains isolated from livestock, wildlife populations, and humans in Italy from 2007 to 2015](#)

ANTIBIOTIC PROPHYLAXIS AND CLOACAL CARRIAGE OF RESISTANT ZONOTIC BACTERIA IN COMMERCIALY-BRED POULTRY

[ANTIBIOTIC PROPHYLAXIS AND CLOACAL CARRIAGE OF RESISTANT ZONOTIC BACTERIA IN COMMERCIALY-BRED POULTRY](#)

Antibiotic Use in Food Animals in the World with Focus on Africa: Pluses and Minuses

[Antibiotic Use in Food Animals in the World with Focus on Africa: Pluses and Minuses](#)

Overlap of antibiotic resistant Campylobacter jejuni MLST genotypes isolated from humans, broiler products, dairy cattle and wild birds in Lithuania

[Overlap of antibiotic resistant Campylobacter jejuni MLST genotypes isolated from humans, broiler products, dairy cattle and wild birds in Lithuania](#)

[HTML] ... animal-to-human transmission of methicillin-resistant Staphylococcus aureus ST398 in pig farming; evidence from a surveillance study in southern Italy

[HTML] [... animal-to-human transmission of methicillin-resistant Staphylococcus aureus ST398 in pig farming; evidence from a surveillance study in southern Italy](#)

Full genome characterization of two novel Alpha-coronavirus species from Italian bats

[Full genome characterization of two novel Alpha-coronavirus species from Italian bats](#)

[PDF] Enteric Viruses pollution from aquatic ecosystems of two Italian regions

[PDF] [Enteric Viruses pollution from aquatic ecosystems of two Italian regions](#)

[PDF] Antimicrobial resistance genotypes and phenotypes of Campylobacter jejuni isolated in Italy from humans, birds from wild and urban habitats, and poultry

[PDF] [Antimicrobial resistance genotypes and phenotypes of Campylobacter jejuni isolated in Italy from humans, birds from wild and urban habitats, and poultry](#)

[HTML] Collaboration between human and veterinary medicine as a tool to solve public health problems

[HTML] [Collaboration between human and veterinary medicine as a tool to solve public health problems](#)

Surveillance for adenoviruses in bats in Italy

[Surveillance for adenoviruses in bats in Italy](#)

Occurrence of HEV-RNA in Italian Regional Pork and Wild Boar Food Products

[Occurrence of HEV-RNA in Italian Regional Pork and Wild Boar Food Products](#)

Prevalence, Population Diversity and Antimicrobial Resistance of Campylobacter coli Isolated in Italian Swine at Slaughterhouse

[Prevalence, Population Diversity and Antimicrobial Resistance of Campylobacter coli Isolated in Italian Swine at Slaughterhouse](#)

[HTML] Prevalence, molecular epidemiology, and antimicrobial resistance of methicillin-resistant Staphylococcus aureus from swine in southern Italy

[HTML] [Prevalence, molecular epidemiology, and antimicrobial resistance of methicillin-resistant Staphylococcus aureus from swine in southern Italy](#)

[HTML] Occurrence of Escherichia coli virulence genes in feces of wild birds from Central Italy

[HTML] [Occurrence of Escherichia coli virulence genes in feces of wild birds from Central Italy](#)

Contamination, antimicrobial resistant of *Campylobacter jejuni* and *Campylobacter coli* isolated from retail meats in Italy and comparison with human strains

[HTML] ... animal-to-human transmission of methicillin-resistant *Staphylococcus aureus* ST398 in pig farming; evidence from a surveillance study in southern Italy

[\[HTML\] biomedcentral.com](#)

[HTML] Brucellosis is a public health problem in southern Italy: burden and epidemiological trend of human and animal disease

[\[HTML\] sciencedirect.com](#)

[HTML] Prevalence of methicillin-resistant *Staphylococcus aureus* (MRSA) carriage and pattern of antibiotic resistance among sheep farmers from Southern Italy

[\[HTML\] nih.gov](#)

[HTML] Antibiotic resistance: Italian awareness survey 2016

[\[HTML\] sciencedirect.com](#)

[HTML] Human campylobacteriosis in Italy: emergence of multi-drug resistance to ciprofloxacin, tetracycline, and erythromycin

[HTML] Human campylobacteriosis in Italy: emergence of multi-drug resistance to ciprofloxacin, tetracycline, and erythromycin

[\[HTML\] frontiersin.org](#)

[PDF] Veterinary Antibiotics in Animal Diet: Effects on Waste/Environment

[\[PDF\] researchgate.net](#)

[PDF] Prevalence of Antibiotic Resistance in Enterococci: A 14 Year Survey

[PDF\] semanticscholar.org](#)

Antibiotic resistance phenotypes and virulence-associated genes in *Escherichia coli* isolated from animals and animal food products in Tunisia

[\[HTML\] oup.com](#)

Tetracyclines: Insights and Updates of their Use in Human and Animal Pathology and their Potential Toxicity

[\[HTML\] benthamopen.com](#)

[PDF] Antibiotic resistance in fish farming environments: a global concern

[\[PDF\] researchgate.net](#)

[HTML] Unexpected human cases of cutaneous anthrax in Latium region, Italy, August 2017: integrated human-animal investigation of epidemiological, clinical ...

[\[HTML\] nih.gov](#)

Review of antibiotic resistance in China and its environment

[\[PDF\] nerc.ac.uk](#)

Antimicrobial resistance: a global emerging threat to public health systems

[\[PDF\] researchgate.net](#)

[HTML] Genotyping of methicillin-resistant Staphylococcus aureus (MRSA) isolated from milk and dairy products in South Italy

[\[HTML\] sciencedirect.com](#)

Prevalence of extended-spectrum β -lactamase-producing Enterobacteriaceae and Methicillin-Resistant Staphylococcus aureus in pig farms in Switzerland

[\[PDF\] unil.ch](#)

Persistence of antibiotic resistance genes in large subalpine lakes: the role of anthropogenic pollution and ecological interactions

[\[PDF\] researchgate.net](#)

Antibiotic resistance in food animals in Africa: a systematic review and meta-analysis

[\[PDF\] liebertpub.comFull View](#)

Excretion masses and environmental occurrence of antibiotics in typical swine and dairy cattle farms in China

[\[PDF\] researchgate.net](#)

Strategies for reduced antibiotic usage in dairy cattle farms

[\[PDF\] academia.edu](#)

Multiple antibiotic resistances among Shiga toxin producing Escherichia coli O157 in feces of dairy cattle farms in Eastern Cape of South Africa

[\[HTML\] biomedcentral.com](#)

Antibiotic-resistant *Escherichia coli* and *Salmonella* spp. associated with dairy cattle and farm environment having public health significance

[\[HTML\] nih.gov](#)

Molecular characterization of antibiotic resistance in *Escherichia coli* strains from a dairy cattle farm and its surroundings

[\[PDF\] researchgate.net](#)

Treating cattle with antibiotics affects greenhouse gas emissions, and microbiota in dung and dung beetles

[\[PDF\] royalsocietypublishing.org](#)

Prevalence and dissemination of antibiotic resistance genes and coselection of heavy metals in Chinese dairy farms

[\[PDF\] researchgate.net](#)

A comprehensive analysis on spread and distribution characteristic of antibiotic resistance genes in livestock farms of Southeastern China

[\[HTML\] nih.gov](#)

Analysis of antibiotic residues in milk from smallholder farms in Kenya

[\[PDF\] semanticscholar.org](#)

Prevalence and antibiotic susceptibility pattern of *Escherichia coli* in cattle on Bathan and intensive rearing system

[\[PDF\] banglajol.info](#)

Survey on the risk awareness of German pig and cattle farmers in relation to dealing with MRSA and antibiotics

[\[PDF\] tandfonline.com Full View](#)

Qualitative survey on antibiotic use for mastitis and antibiotic residues in Umbrian dairy herds

[\[PDF\] researchgate.net](#)

Tetracycline and sulfonamide antibiotic resistance genes in soils from Nebraska organic farming operations

[\[HTML\] frontiersin.org](#)

Dairy farmers' perspectives on antibiotic use: A qualitative study

[\[HTML\] journalofdairyscience.org](#)

Fate of tetracycline antibiotics in dairy manure-amended soils

[\[PDF\] utoronto.ca](#)

Assessment of Farmers' Knowledge, Attitudes and Practices on Antibiotics and Antimicrobial Resistance

[Assessment of Farmers' Knowledge, Attitudes and Practices on Antibiotics and Antimicrobial Resistance](#)

[\[PDF\] mdpi.com](#)

Systematic review in South Africa reveals antibiotic resistance genes shared between clinical and environmental settings

[Systematic review in South Africa reveals antibiotic resistance genes shared between clinical and environmental settings](#)

[\[HTML\] nih.gov](#)

Antibiotic resistance in food animals in Africa: a systematic review and meta-analysis

[\[PDF\] liebertpub.com Full View](#)

Rising fluoroquinolone resistance in *Campylobacter* isolated from feedlot cattle in the United States

[\[HTML\] nature.com](#)

Pharming animals: a global history of antibiotics in food production (1935-2017)

[\[HTML\] nature.com Full View](#)

The application of antibiotics in broiler production and the resulting antibiotic resistance in *Escherichia coli*: A global overview

[HTML\] oup.com Full View](#)

Antibiotics in groundwater under locations with high livestock density in Germany

[PDF\] semanticscholar.org](#)

Patterns of antibiotic use in global pig production: a systematic review

[\[HTML\] sciencedirect.com](#)

Discovery of novel antibiotic resistance determinants in forest and grassland soil metagenomes

[\[HTML\] frontiersin.org](#)

Monitoring Antibiotic Usage in German Dairy and Beef Cattle Farms—A Longitudinal Analysis

[\[HTML\] frontiersin.org](#)

Survey on the risk awareness of german pig and cattle farmers in relation to dealing with MRSA and antibiotics

[PDF\] tandfonline.com Full View](#)

Antibiotic drug usage in pigs in Germany—Are the class profiles changing?

[HTML\] nih.gov](#)

Excretion masses and environmental occurrence of antibiotics in typical swine and dairy cattle farms in China

[PDF\] researchgate.net](#)

Strategies for reduced antibiotic usage in dairy cattle farms

[\[PDF\] academia.edu](#)

Multiple antibiotic resistances among Shiga toxin producing Escherichia coli O157 in feces of dairy cattle farms in Eastern Cape of South Africa

[\[HTML\] biomedcentral.com](#)

Antibiotic-resistant Escherichia coli and Salmonella spp. associated with dairy cattle and farm environment having public health significance

[HTML\] nih.gov](#)

Molecular characterization of antibiotic resistance in Escherichia coli strains from a dairy cattle farm and its surroundings

[PDF\] researchgate.net](#)

Treating cattle with antibiotics affects greenhouse gas emissions, and microbiota in dung and dung beetles

[\[PDF\] royalsocietypublishing.org](#)

Prevalence and dissemination of antibiotic resistance genes and coselection of heavy metals in Chinese dairy farms

[\[PDF\] researchgate.net](#)

A comprehensive analysis on spread and distribution characteristic of antibiotic resistance genes in livestock farms of Southeastern China

[\[HTML\] nih.gov](#)

Analysis of antibiotic residues in milk from smallholder farms in Kenya

[\[PDF\] semanticscholar.org](#)

Prevalence and antibiotic susceptibility pattern of Escherichia coli in cattle on Bathan and intensive rearing system

[\[PDF\] banglajol.info](#)

Survey on the risk awareness of german pig and cattle farmers in relation to dealing with MRSA and antibiotics

[\[PDF\] tandfonline.com Full View](#)

Qualitative survey on antibiotic use for mastitis and antibiotic residues in Umbrian dairy herds

[\[PDF\] researchgate.net](#)

Interaction of the role of concentrated animal feeding operations (CAFOs) in

[\[PDF\] researchgate.net](#)

Tetracycline and sulfonamide antibiotic resistance genes in soils from Nebraska organic farming operations

[\[HTML\] frontiersin.org](#)

Dairy farmers' perspectives on antibiotic use: A qualitative study

[\[HTML\] journalofdairyscience.org](#)

Fate of tetracycline antibiotics in dairy manure-amended soils

[\[PDF\] utoronto.ca](#)

Assessment of Farmers' Knowledge, Attitudes and Practices on Antibiotics and Antimicrobial Resistance

[\[PDF\] mdpi.com](#)

Systematic review in South Africa reveals antibiotic resistance genes shared between clinical and environmental settings

[\[HTML\] nih.gov](#)

Antibiotic resistance in food animals in Africa: a systematic review and meta-analysis

[\[PDF\] liebertpub.com Full View](#)

Rising fluoroquinolone resistance in Campylobacter isolated from feedlot cattle in the United States

[\[HTML\] nature.com](#)

Pharming animals: a global history of antibiotics in food production (1935-2017)

[Pharming animals: a global history of antibiotics in food production \(1935-2017\)](#)

[\[HTML\] nature.com Full View](#)

The application of antibiotics in broiler production and the resulting antibiotic resistance in *Escherichia coli*: A global overview

[HTML\] oup.com Full View](#)

Antibiotics in groundwater under locations with high livestock density in Germany

[PDF\] semanticscholar.org](#)

Patterns of antibiotic use in global pig production: a systematic review

[\[HTML\] sciencedirect.com](#)

Discovery of novel antibiotic resistance determinants in forest and grassland soil metagenomes

[\[HTML\] frontiersin.org](#)

Monitoring Antibiotic Usage in German Dairy and Beef Cattle Farms—A Longitudinal Analysis

[\[HTML\] frontiersin.org](#)

Survey on the risk awareness of german pig and cattle farmers in relation to dealing with MRSA and antibiotics

[PDF\] tandfonline.com Full View](#)

Antibiotic drug usage in pigs in Germany—Are the class profiles changing?

[HTML\] nih.gov](#)

Interaction of the role of concentrated animal feeding operations (CAFOs) in

[PDF\] researchgate.net](#)

ANTIBIOTIC PROPHYLAXIS AND CLOACAL CARRIAGE OF RESISTANT ZONOTIC BACTERIA IN COMMERCIALY-BRED POULTRY

[ANTIBIOTIC PROPHYLAXIS AND CLOACAL CARRIAGE OF RESISTANT ZONOTIC BACTERIA IN COMMERCIALY-BRED POULTRY](#)

Antibiotic Use in Food Animals in the World with Focus on Africa: Pluses and Minuses

[Antibiotic Use in Food Animals in the World with Focus on Africa: Pluses and Minuses](#)

Overlap of antibiotic resistant Campylobacter jejuni MLST genotypes isolated from humans, broiler products, dairy cattle and wild birds in Lithuania

[Overlap of antibiotic resistant Campylobacter jejuni MLST genotypes isolated from humans, broiler products, dairy cattle and wild birds in Lithuania](#)